

Version 7.0

Revision Date 11/30/2014

Print Date 12/03/2014

SECTION 1. IDENTIFICATION

Commercial Product Name	:	Rubber Care - Silicone Free
Product number	:	8857000012
SDS-Identcode	:	10033515
Product Use Description	:	Preservatives, Care product
Company	:	Wurth USA Inc.
		93 Grant St.
		07446 Ramsey, NJ
		USA
Telephone	:	+1 201 825 27 10
Telefax	:	+1 201 825 16 43
Responsible/issuing	:	prodsafe@wuerth.com
person		
Emergency telephone number	:	+1 800 255 3924

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification	
Flammable aerosols	: Category 1
Gases under pressure	: Liquefied gas
GHS Label element	
Hazard pictograms	
Signal word	: Danger
Hazard statements	: H222 Extremely flammable aerosol. H280 Contains gas under pressure; may explode if heated.
Precautionary statements	: Prevention: P210 Keep away from heat/sparks/open flames/hot surfaces No smoking. P211 Do not spray on an open flame or other ignition source.
	1 / 12



Version 7.0

Revision Date 11/30/2014

Print Date 12/03/2014

P251 Pressurized container: Do not pierce or burn, even after use. **Storage:** P410 + P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C/ 122 °F.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Component	CAS-No.	Weight percent- Weight percent
distillates (petroleum), hydrotreated light	64742-47-8	>= 50 - < 70
propane	74-98-6	>= 5 - < 10
n-heptane	142-82-5	>= 0.1 - < 1

SECTION 4. FIRST AID MEASURES

General advice	rou feel unwell, seek medical o here possible). First aider needs t of dangerous area. Never gi unconscious person. Take off d shoes immediately.	to protect himself. Move ve anything by mouth to
Inhalation	preathed in, move person into alation of aerosol/mist consul ep patient warm and at rest. I ificial respiration. If breathing i	t a physician if necessary. f not breathing, give
Skin contact	case of contact, immediately enty of water. Do NOT use solv ration persists, call a physician.	ents or thinners. If skin
Eye contact	otect unharmed eye. If easy to as, if worn. In the case of conto mediately with plenty of wate lvice.	act with eyes, rinse
Ingestion	wallowed, DO NOT induce vo nen lying on his back, place his sition. Get medical attention.	e
Notes to physician		
Treatment	at symptomatically and supp	ortively.



Version 7.0

Revision Date 11/30/2014

Print Date 12/03/2014

SECTION 5. FIREFIGHTING MEASURES

Form Suitable extinguishing media	:	Aerosol containing a liquefied gas Dry chemical Carbon dioxide (CO2) Foam
Specific hazards during firefighting	:	Do not use a solid water stream as it may scatter and spread fire. Hazardous decomposition products may be formed under fire conditions (see section 10). Exposure to decomposition products may be a hazard to health.
Special protective equipment for firefighters	:	In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.
Further information	:	Standard procedure for chemical fires. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. In the event of fire and/or explosion do not breathe fumes. Use water spray to cool unopened containers. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. If the temperature rises there is danger of the vessels bursting due to the high vapor pressure.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions	:	Refer to protective measures listed in sections 7 and 8. Use personal protective equipment. Remove all sources of ignition.
		3 / 10



Version 7.0	on 7.0 Revision Date 11/30/2014	
	Avoid contact with skin and eyes. Ensure adequate ventilation, especia Avoid inhalation of vapour or mist. Beware of vapours accumulating to f concentrations. Vapours can accumu Immediately evacuate personnel to s	orm explosive Jlate in low areas.
Environmental precautions	: Do not flush into surface water or sani Prevent further leakage or spillage if s If the product contaminates rivers and inform respective authorities. Avoid release to the environment. Re- instructions/ Safety data sheets.	afe to do so. d lakes or drains
Methods for cleaning up	: Contain and collect spillage with non absorbent material, (e.g. sand, earth, earth, vermiculite) and place in conta according to local / national regulation Clean contaminated surface thoroug	diatomaceous ainer for disposal ons.

SECTION 7. HANDLING AND STORAGE

Handling	
Handling	 For personal protection see section 8. Limit the stocks at work place. Use only in well-ventilated areas. Do not breathe vapours or spray mist. Avoid contact with skin and eyes. Do not spray on a naked flame or any incandescent material. Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. Take precautionary measures against static discharges. Use appropriate container to avoid environmental contamination.
Advice on protection against fire and explosion	 Normal measures for preventive fire protection. Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.
	4 / 12



Version 7.0	Revision Date 11/30/2014	Print Date 12/03/2014
	Keep away from heat and sources of ignit Do not smoke. No sparking tools should be used. Electrical equipment should be protected appropriate standard.	
Dust explosion class	Not applicable	
Storage		
Requirements for storage areas and containers	Store in original container. BEWARE: Aerosol is pressurized. Keep away Keep away from direct sunlight. Do not op throw into fire even after use. Do not spray red-hot objects. Keep containers tightly closed in a dry, co ventilated place. Please observe the storage instructions for	oen by force or on flames or ol and well-
Advice on common storage	Incompatible with oxidizing agents. Do not store together with oxidizing and se products. Keep away from food, drink and animal fe	
Other data	No decomposition if stored and applied c	s directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Guidelines

Components	CAS-No.	List	Type:	Value	Update
distillates (petroleum), hydrotreated light	64742-47-8	OSHA Z-1	TWA	500 ppm 2,000 mg/m3	2007-01-01
		ACGIH	TWA	200 mg/m3	2010-03-01
		OSHA PO	TWA	400 ppm 1,600 mg/m3	1989-01-19
		OSHA Z-1	TWA	5 mg/m3	2011-07-01
		NIOSH REL	TWA	5 mg/m3	2013-10-08
		NIOSH REL	ST	10 mg/m3	2013-10-08
propane	74-98-6	OSHA Z-1	TWA	1,000 ppm 1,800 mg/m3	1997-08-04
		NIOSH REL	TWA	1,000 ppm	2013-10-08



Version 7.0

Revision Date 11/30/2014

Print Date 12/03/2014

					1,800 mg/m3	
			OSHA P0	TWA	1,000 ppm 1,800 mg/m3	1989-01-19
Engineering measures	:	Provic room:		ir exchange c	and/or exhaust in	n work
Eye protection	:	In cas	In case of splash hazard, please wear protective goggles.			
Hand protection	:	depe hazar For sp resisto	nding on the dous substance ecial applica	concentration ce and specif tions, we reco icals of the af	against chemic n and quantity o ic to place of we ommend clarifyir orementioned p urer.	f the ork. ng the
Skin and body protection	:	Choo	se body prote entration of th	ection accord	ctive clothing. ling to the amou substance at the	
Respiratory protection	:			•	ids. Respiratory ir supplied respir	ators.
Hygiene measures	:	safety Gene Do no Avoic Wher Wash Follov	y practice. Iral industrial h ot inhale aeros I contact with In using do not	ygiene practi sol. skin, eyes and eat, drink or s breaks and d ection plan.	d clothing. moke. at the end of wo	

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Form	: Aerosol containing a liquefied gas
Physical state	: aerosol
Colour	: amber, clear
Odour	: solvent-like
Odour Threshold	: No data available



Version 7.0	Revision Date 11/30/2014	Print Date 12/03/2014
Flash point Ignition temperature Thermal decomposition Lower explosion limit Upper explosion limit Flammability	 No data available Extremely flammable aerosol. 	
Molecular weight pH	: No data available : No data available	
Boiling point/boiling range	: 55 °C(131 °F)	
Vapour pressure Relative vapour density Evaporation rate Density	 No data available No data available No data available 0.825 - 0.835 g/cm3 	
Relative density Bulk density Water solubility Partition coefficient: n- octanol/water Solubility in other solvents Viscosity, dynamic	 No data available 	
Viscosity, kinematic	: No data available	
Volatile organic compounds (VOC) content	: 9.5 % 81 g/l	

SECTION 10. STABILITY AND REACTIVITY

Conditions to avoid	: Heat, flames and sparks.
Materials to avoid	: Strong oxidizing agents
Hazardous decomposition products	: Carbon monoxide Carbon dioxide (CO2) Hydrocarbons
	Build-up of dangerous/toxic fumes possible in cases of fire/high temperature.



Version 7.0	Revision Date 11/30/2014	Print Date 12/03/2014
Hazardous reactions	: Vapours may form explosive mixture If the temperature rises there is dans bursting due to the high vapor press	ger of the vessels
	Note: No decomposition if stored an directed.	nd applied as

SECTION 11. TOXICOLOGICAL INFORMATION

Carcinogenicity Reproductive toxicity Teratogenicity	: No data i	s available on the product itself. s available on the product itself. s available on the product itself.	
Component: n-heptane	142-82-5	Acute oral toxicity: LD50 Rat Dose: > 5,000 mg/kg Method: OECD Test Guideline 401 Acute dermal toxicity: LD50 Rabbit Dose: > 2,000 mg/kg Method: OECD Test Guideline 402 Acute inhalation toxicity: LC50 Rat Dose: > 29.29 mg/IExposure time: 4 h Method: OECD Test Guideline 403 Skin irritation: Rabbit Result: irritating Method: OECD Test Guideline 404 Eye irritation: Rabbit Result: No eye irritation	
Carcinogenicity:		Method: OECD Test Guideline 405	
ACGIH	distillates (p hydrotreate		64742-47-8
OSHA	than or equ	nent of this product present at level Jal to 0.1% is identified as a carcinog arcinogen by OSHA.	
NTP	No compo	nent of this product present at level	s greater
		8 / 12	



rsion 7.0	Revision Date	e 11/30/2014	Print Date 12/03/20
	than or equal to (anticipated carc	0.1% is identified as a inogen by NTP.	I known or
IARC	than or equal to (f this product presen D.1% is identified as p n carcinogen by IAR	robable, possible or
TION 12. ECOLOGICAL IN	FORMATION		
Volatile organic compounds (VOC) content	: 9.5 %		
Additional ecological information	: The product sho courses or the so		to enter drains, water
Component: n-heptane	142-82-5 <u>Toxi</u> LC5	<u>city to fish:</u>	
	Spe Dos Exp Cal Acu EC5 Spe Dos	cies: e: 5.738 mg/l osure time: 96 h culation ute and prolonged toxicity	<u>v for aquatic invertebrates:</u> ater flea)
	EC5 Spe Dos Exp Cal <u>Toxi</u> NOI	cies: e: 4.338 mg/l osure time: 72 h culation city to algae:	
	Dos Exp Cal <u>Toxi</u> EC5 Spe Dos Exp Cal	e: 0.97 mg/l osure time: 72 h culation city to bacteria:	



Version 7.0

Revision Date 11/30/2014

Print Date 12/03/2014

NOEC Species: Bacteria Dose: 5.057 mg/l Exposure time: 48 h Calculation

SECTION 13. DISPOSAL CONSIDERATIONS

Adequate disposal

: In accordance with local and national regulations. This material and its container must be disposed of as hazardous waste.

SECTION 14. TRANSPORT INFORMATION

DOT 49 CFR ID No Proper shipping name Class Labels Emergency Response Guidebook Number	: UN 1950 : Aerosols : 2.1 : 2.1 : 126	
TDGR ID No Proper shipping name Class Labels	: UN 1950 : AEROSOLS : 2.1 : 2.1	
ICAO/IATA-DGR ID No Proper shipping name Class ICAO-Labels Packing instruction (cargo aircraft) Packing instruction (passenger aircraft) Packing instruction (passenger aircraft) Environmentally hazardous	 UN 1950 Aerosols, flamma 2.1 2.1 203 203 Y203 no 	ble

IMDG-Code



Version 7.0	Revision Date 11/30/2014	Print Date 12/03/2014
ID No	: UN 1950	
Description of the goods	: AEROSOLS	
Class	: 2.1	
IMDG-Labels	: 2.1	
EmS Number 1	: F-D	
EmS Number 2	: S-U	
Marine pollutant	: no	
SECTION 15. REGULATORY INFO	RMATION	
SARA 311/312 Hazards	: Fire Hazard	

SAKA STI/STZ HUZUIUS	Sudden Release of Pressure Hazard
CERCLA Reportable Quantity	: This material does not contain any components with a CERCLA RQ.

PENN RTK US. Pennsylvania Worker and Community Right-to-Know Law (34 Pa. Code Chap. 301-323)

Components	CAS-No.
distillates (petroleum), hydrotreated light	64742-47-8
n-Butene, homopolymer	9003-29-6
propane	74-98-6

MASS RTK US. Massachusetts Commonwealth's Right-to-Know Law (Appendix A to 105 Code of Massachusetts Regulations Section 670.000)

Components	CAS-No.
distillates (petroleum), hydrotreated light	64742-47-8
propane	74-98-6

NJ RTK

US. New Jersey Worker and Community Right-to-Know Act (New Jersey Statute Annotated Section 34:5A-5)

<u>Components</u>	CAS-No.
distillates (petroleum), hydrotreated light	64742-47-8
n-Butene, homopolymer	9003-29-6
propane	74-98-6



Safety Data Sheet Rubber Care - Silicone Free Version 7.0 Revision Date 11/30/2014 Print Date 12/03/2014 California Prop. 65 : This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16. OTHER INFORMATION

Further information



HMIS III: HEALTH 3 FLAMMABILITY 4 PHYSICAL 2

0 = Insignificant, 1 =Slight,

2 = Moderate, 3 = High, 4 = Extreme

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Prepared by	:	SAP Business Compliance Services GmbH Birlenbacher Str. 19 D-57078 Siegen Germany Telephone: +49-(0)271-88072-0
Revision Date	:	11/30/2014
Date of last issue	:	05/21/2014
Date of first issue	:	04/28/2011