Supplyworks^{*}

PO Box 2317 Jacksonville FL 32203-9956 SDS Communication for your recent order



1044 1 MB 0.424 E0291X 10629 D3341956637 S2 P5095375 0001:0003



MORRIS CO VOC SCHOOL 400 E MAIN ST DENVILLE NJ 07834-2500

02/14/18

Enclosed, please find Safety Data Sheets for your recent orders: 3072839 You can find a complete library of more than 11,000 data sheets at our web site www.supplyworks.com If you have any questions, please contact Customer Service at 866-412-6726

560944 00000



SAFETY DATA SHEET

Section 1: Product Identification

Product Name

High Performance Ice Melt Pellets

REN Number

REN05100-KS, REN05101-KS, REN05108-KS

Identified Uses

Melt Snow and Ice

Supplier's Details

Interline Brands

701 San Marco Blvd., Jacksonville, FL USA 32207

Phone Number

1-866-412-6726

Emergency Phone Number

1-800-424-9300 (ChemTrec)

Available Packaging

50lb Bag, 50 lb Box, 50lb Pail

Section 2: Hazard Identification

Classification (GHS)

Not Classified

GHS Labelling

No Labelling applicable

Percentage

Not applicable

Other Hazards

Exposure may aggravate those with pre-existing eye, skin, or respiratory conditions. When heated to decomposition, emits toxic fumes. Corrosive to metals upon prolonged contact.

Section 3: Composition/Information On Ingredients

Ingredients	Percentage	CAS. NO.	Classification
Sodium Chloride	80.0-99.9%	7647-14-5	Not Classified
Calcium Chloride	0.01-5.0%	10043-52-4	Eye Irrit. 2A, H319
Magnesium Chloride	0.01-5.0%	7786-30-3	Not Classified
	0.01-5.0%	76123-46-1	Acute Tox. 4 (Inhalation:dust,mist), H332;
Calcium Magnesium Acetate (CMA)			Eye Irrit. 2B, H320
Potassium Chloride	0.01-5.0%	7447-40-7	Aquatic Acute 3, H402
Product may contain color indicator		N/A	

Section 4: First-Aid Measures

Description of First Aid Measures

General Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice.

When symptoms occur: go into open air and ventilate suspected area. Remove to fresh air and keep at

rest in a position comfortable for breathing. Obtain medical attention if breathing difficulty persists.

Remove contaminated clothing. Brush off loose particles. Drench affected area with water for at least

Skin Contact

15 minutes. Obtain medical attention if irritation persists. Wash contaminated clothing before reuse.

Rinse cautiously with water for several minutes. Brush off loose particles. Remove contact lenses, if

Eye Contact present and easy to do. Continue rinsing. Obtain medical attention if irritation develops or persists.

Ingestion Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTER or doctor/physician.

Most Important Symptoms and Effects Both Acute and Delayed

General Dust may cause mechanical irritation to eyes, nose, throat, and lungs

Inhalation Prolonged contact with large amounts of dust may cause mechanical irritation.



Skin Contact

Skin contact with large amounts of dust may cause mechanical irritation.

Eye Contact Ingestion

Contact may cause irritation due to mechanical abrasion Ingestion is not likely to be harmful or have adverse effects

Other

Contact with large amount of dust may cause mechanical irritation to eyes, nose, throat, and

lungs.

Chronic Symptoms

Not available

Section 5: Fire-Fighting Measures

Suitable Extinguishing Media:

Use extinguishing media appropriate for surrounding fire.

Unsuitable Extinguishing Media:

Do not use a heavy water stream. Use of heavy stream of water may spread fire.

Fire Hazard:

Not considered flammable but may burn at high temperatures.

Explosion Hazard:

Other Information:

Product is not explosive.

Reactivity:

When heated to decomposition, emits toxic fumes. Toxic Gas.

Hazardous Combustion Products:

Toxic fumes are released. Hydrogen chloride. Sodium oxides. Chlorine. Do not allow run-off from firefighting to enter drains or water courses.

Section 6: Accidental Release Measures

Personal Precautions

Avoid breathing (dust). Avoid all contact with skin, eyes, or clothing.

Protective Equipment:

Use appropriate personal protection equipment (PPE).

Environmental Precautions

Prevent entry to sewers and public waters. Avoid release to the environment. Clear up spills immediately and dispose of waste safely. Recover the product by

Methods for Cleaning Up

vacuuming, shoveling or sweeping. Contact competent authorities after a spill.

Section 7: Handling And Storage

Precautions for Safe Handling

Additional Hazards When Processed When heated to decomposition, emits toxic fumes. Contact with water causes an exothermic heat reaction, which may cause significant temperature rise. Corrosive to metals upon prolonged contact. May release hydrogen gas on prolonged contact with

certain metals.

Handle in accordance with good industrial hygiene and safety procedures. Wash hands and other exposed areas with mild soap and water before eating, drinking, or smoking and

again when leaving work. Do not eat, drink or smoke when using this product. Wash hands and forearms thoroughly after handling.

Conditions for Safe Storage, Including Any Incompatibilities

Technical Measures

Hygiene Measures

Comply with applicable regulations

Store in a dry, cool and well-ventilated place. Keep container closed when not in use.

Storage Conditions

Keep/Store away from extremely high or low temperatures, direct sunlight, heat, ignition

sources, and incompatible materials.

Incompatible Materials

Strong acids. Strong bases. Strong oxidizers.

Section 8: Exposure Controls/Personal Protection

Control Parameters

No Occupational Exposure Limits (OELs) have been established for this product or its chemical components.



Appropriate Engineering

Personal Protective

Controls

Equipment

Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Ensure all national/local regulations are

observed. Ensure adequate ventilation, especially in confined areas

Protective goggles. Protective clothing. Insufficient ventilation: wear respiratory

protection. Gloves.

Materials for Protective

Clothing:

Chemically resistant materials and fabrics.

Hand Protection:

Wear chemically resistant protective gloves.

Eye Protection:

Chemical goggles or face shield. Wear suitable protective clothing.

Skin and Body Protection: Respiratory Protection:

Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations are expected to exceed exposure limits.

Section 9: Physical And Chemical Properties

Physical State Solid, pellets, crystals

Appearance Blue colored granules, odorless.

Vapour Pressure (mm Hg at 20°C) Not available

Vapour Density (Air = 1.0) Not available

Bulk DensityNot availableSolubility in WaterWater SolubleSpecific Gravity (gm/cc, Water = 1.0)Not available

% Volatile by Volume

Non-volatile

Boiling Point338°F (198°C)Melting PointNot availableCoefficient of Water/Oil DistributionNot available

pH 10 (1% solution @ 20°C)

Section 10: Stability And Reactivity

Chemical Stability: Stable under normal conditions.

Reactivity: When heated to decomposition, emits toxic fumes. Toxic Gas.

Possibility of Hazardous Reactions: Polymerization occurs with calcium chloride when mixed with methyl vinyl ether.

Conditions to Avoid: Direct sunlight. Extremely high or low temperatures. Incompatible materials.

Incompatible Materials: Strong acids. Strong bases. Strong oxidizers. Reactive metals.

Hazardous Decomposition Toxic gases. Hydrogen chloride. Chlorine. Sodium oxides. Oxides of magnesium.

Products: Oxides of calcium.

Section 11: Toxicological Information

Acute Toxicity: Not classified

LD50 and LC50 Data:

Skin Corrosion/Irritation:

Not available
Not classified





Serious Eye Damage/Irritation:

Not classified

Respiratory or Skin Sensitization:

Not classified

Germ Cell Mutagenicity:

Not classified

Not available

Teratogenicity: Carcinogenicity:

Not classified

Specific Target Organ Toxicity (Repeated Exposure):

Not classified

Reproductive Toxicity:

Not classified

Specific Target Organ Toxicity (Single Exposure):

Not classified

Aspiration Hazard:

Not classified

Information on Toxicological Effects - Ingredient(s)

Sodium chloride (7647-14-5)	LD50 Oral Rat	3 g/kg
30dium emoride (7847-14-3)	LC50 Inhalation Rat	> 42 g/m³ (Exposure time: 1 h)
Calcium Chloride (10043-52-4)	LD50 Oral Rat	1455-2781 mg/kg
	LD50 Dermal Rabbit	> 5000 mg/kg
Calcium Magnesium Acetate (76123-46-1)	LC50 Inhalation Rat	> 4600 mg/m³ (Exposure time: 4 h)
Potassium Chloride (7447-40-7)	LD50 Oral Rat	2600 mg/kg

Section 12: Ecological Information

Toxicity

No additional information available

Sodium chloride (7647-14-5)

LC50 Fish 1	5560 (5560 - 6080) mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [flow-through])
EC50 Daphnia 1	1000 mg/l (Exposure time: 48 h - Species: Daphnia magna)
LC 50 Fish 2	12946 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 2	340.7 (340.7 - 469.2) mg/l (Exposure time: 48 h - Species: Daphnia magna [Static])

Calcium Chloride (10043-52-4)

LC50 Fish 1	10650 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [static])
EC50 Daphnia 1	2400 mg/l (Exposure time: 48 h - Species: Daphnia magna)

Potassium Chloride (7447-40-7)

LC50 Fish 1	1060 mg/l (Exposure time: 96 h - Species: Lepomis macrochirus [stactic])	
EC50 Daphnia 1	825 mg/l (Exposure time: 48 h - Species: Daphnia magna)	
LC 50 Fish 2	750-1020 mg/l (Exposure time: 96 h - Species: Pimephales Promelas [stactic])	
EC50 Daphnia 2	83 mg/l (Exposure time: 48 h - Species: Daphnia magna [stactic])	

Persistence and degradability

Not available

Bio accumulative potential

Sodium chloride (7647-14-5)	BCF Fish 1	(no bioaccumulation)
Calcium chloride (10043-52-4)	BCF Fish 1	(no bioaccumulation)

Mobility in Soil

Not available

Other Information

Avoid release to the environment

Section 13: Disposal Considerations

Waste Disposal Recommendations

Dispose of waste material in accordance with all local, regional, national, provincial, territorial and international regulations.



Section 14: Transport Information

In Accordance with DOT

In Accordance with IMDG

In Accordance with IATA

In Accordance with IATA

Not regulated for transport

Not regulated for transport

Not regulated for transport

Not regulated for transport

Section 15: Regulatory Information

115	Federal	Reg	ulations
U.J	reuera	11765	ulations

Sodium chloride (7647-14-5)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Calcium chloride (10043-52-4)	Listed on the United States TSCA (Toxic Substances Control Act) inventory
Potassium Chloride (7447-40-7)	Listed on the United States TSCA (Toxic Substances Control Act) inventory

Canadian Regulations

High Performance Ice Melt Pellets	
WHMIS Classification U	ncontrolled product according to WHMIS classification criteria

Sodium chloride (7647-14-5)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Calcium chloride (10043-52-4)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Magnesium Chloride (7786-30-3)	

WHMIS Classification	Uncontrolled product according to WHMIS classification criteria

Calcium Magnesium Acetate (76123-46-1)	Listed on the Canadian DSL (Domestic Substances List)
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects

Potassium Chloride (7447-40-7)	Listed on the Canadian DSL (Domestic Substances List)	
WHMIS Classification	Class D Division 2 Subdivision B - Toxic material causing other toxic effects	

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the SDS contains all of the information required by CPR.

Section 16: Other Information

Other Information:

This document has been prepared in accordance with the SDS requirements of the OSHA Hazard Communication Standard 29 CFR 1910.1200.

Effective Date:

March 17, 2015

Version

1

The information is, to the best of our knowledge and belief, accurate and reliable as of the date compiled. However, no representation, warranty or guarantee is made to its accuracy, reliability or completeness. It is the user's responsibility to review this information, satisfy themselves as to its suitability and completeness and pass on the information to its employees or customers. Interline Brands does not accept responsibility for any loss or damage, which may occur from the use of this information.