

SAFETY DATA SHEET

Creation Date 28-Apr-2009

Revision Date 24-Dec-2021

Revision Number 8

1. Identification

Product Name

Acetone

Cat No.:

AC176800000; AC176800010; AC176800025; AC176800026; AC176800050; AC176800051; AC176800250; AC176805000

CAS No Synonyms

67-64-1 2-Propanone

Recommended Use

Laboratory chemicals.

Uses advised against

Food, drug, pesticide or biocidal product use.

Details of the supplier of the safety data sheet

Company

Fisher Scientific Company One Reagent Lane Fair Lawn, NJ 07410 Tel: (201) 796-7100

Acros Organics One Reagent Lane Fair Lawn, NJ 07410

Emergency Telephone Number

For information **US** call: 001-800-ACROS-01 / **Europe** call: +32 14 57 52 11 Emergency Number **US:**001-201-796-7100 / **Europe:** +32 14 57 52 99 CHEMTREC Tel. No. US:001-800-424-9300 / Europe:001-703-527-3887

2. Hazard(s) identification

Classification

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Flammable liquids

Category 2

Serious Eye Damage/Eye Irritation

Category 2

Specific target organ toxicity (single exposure)

Category 3

Target Organs - Central nervous system (CNS).

Specific target organ toxicity - (repeated exposure)

Category 2

Target Organs - Kidney, Liver, spleen, Blood.

Label Elements

Signal Word

Danger

Hazard Statements

Revision Date 24-Dec-2021

Highly flammable liquid and vapor Causes serious eye irritation May cause drowsiness or dizziness May cause damage to organs through prolonged or repeated exposure



Precautionary Statements

Prevention

Wash face, hands and any exposed skin thoroughly after handling

Do not breathe dust/fume/gas/mist/vapors/spray

Use only outdoors or in a well-ventilated area

Keep away from heat/sparks/open flames/hot surfaces. - No smoking

Keep container tightly closed

Ground/bond container and receiving equipment

Use explosion-proof electrical/ventilating/lighting equipment

Use only non-sparking tools

Take precautionary measures against static discharge

Wear protective gloves/protective clothing/eye protection/face protection

Keep cool

Response

Get medical attention/advice if you feel unwell

Inhalation

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

Call a POISON CENTER or doctor/physician if you feel unwell

Skin

IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower

Eyes

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing If eye irritation persists: Get medical advice/attention

Fire

In case of fire: Use CO2, dry chemical, or foam for extinction

Storage

Store in a well-ventilated place. Keep container tightly closed

Store locked up

Disposal

Dispose of contents/container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

Repeated exposure may cause skin dryness or cracking

3. Composition/Information on Ingredients

| Component | CAS No | Weight % | | |
|-----------|---------|----------|--|--|
| Acetone | 67-64-1 | >95 | | |

4. First-aid measures

General Advice

If symptoms persist, call a physician.

Eye Contact

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Get

Revision Date 24-Dec-2021

medical attention.

Skin Contact Wash off immediately with plenty of water for at least 15 minutes. If skin irritation persists,

call a physician.

Inhalation Remove to fresh air. If not breathing, give artificial respiration. Get medical attention if

symptoms occur.

Ingestion Clean mouth with water and drink afterwards plenty of water.

Most important symptoms and

effects

Symptoms of overexposure may be headache, dizziness, tiredness, nausea and yomiting:

May cause pulmonary edema

Notes to Physician

Treat symptomatically

5. Fire fighting measures

Suitable Extinguishing Media Water spray, carbon dioxide (CO2), dry chemical, alcohol-resistant foam. Water mist may

be used to cool closed containers.

Unsuitable Extinguishing Media

Water may be ineffective

Flash Point

-20 °C / -4 °F

Method -

CC (closed cup)

Autoignition Temperature

465 °C / 869 °F

Explosion Limits

Upper

12.8 vol %

Lower

2.5 vol %

Oxidizing Properties

Not oxidising

Sensitivity to Mechanical Impact No information available Sensitivity to Static Discharge No information available

Specific Hazards Arising from the Chemical

Flammable. Risk of ignition. Containers may explode when heated. Vapors may form explosive mixtures with air. Vapors may travel to source of ignition and flash back.

Hazardous Combustion Products

Carbon monoxide (CO). Carbon dioxide (CO2). Formaldehyde. Methanol.

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

| Ν | F | ? <i> </i> | 1 |
|---|---|------------|---|
| | | | |

Health

Flammability

Instability

Physical hazards N/A

Accidental release measures

Personal Precautions

Use personal protective equipment as required. Ensure adequate ventilation. Remove all sources of ignition. Take precautionary measures against static discharges.

Environmental Precautions

Should not be released into the environment.

αU

Methods for Containment and Clean Soak up with inert absorbent material. Keep in suitable, closed containers for disposal. Remove all sources of ignition. Use spark-proof tools and explosion-proof equipment.

7. Handling and storage

Revision Date 24-Dec-2021

Handling

Do not get in eyes, on skin, or on clothing. Wear personal protective equipment/face protection. Ensure adequate ventilation. Avoid ingestion and inhalation. Keep away from open flames, hot surfaces and sources of ignition. Use only non-sparking tools, To avoid ignition of vapors by static electricity discharge, all metal parts of the equipment must be grounded. Take precautionary measures against static discharges.

Storage.

Flammables area. Keep containers tightly closed in a dry, cool and well-ventilated place. Keep away from heat, sparks and flame. Incompatible Materials. Strong exidizing agents. Strong reducing agents. Strong bases. Peroxides. Halogenated compounds, Alkali metals. Amines.

8. Exposure controls / personal protection

Exposure Guidelines

| Component | ACGIH TLV | OSHA PEL | NIOSH IDLH | Mexico OEL (TWA) |
|-----------|---------------|---------------------------------------|----------------|------------------|
| Acetone | TWA: 250 ppm | (Vacated) TWA: 750 ppm | IDLH; 2500 ppm | TWA: 500 ppm |
| | STEL: 500 ppm | (Vacated) TWA: 1800 mg/m ³ | TWA: 250 ppm | STEL: 750 ppm |
| | | (Vacated) STEL: 2400 | TWA: 590 mg/m³ | |
| | | mg/m³ | _ | |
| | | (Vacated) STEL: 1000 ppm | | |
| | | TWA: 1000 ppm | • | |
| | | TWA: 2400 mg/m ³ | | |

<u>Legend</u>

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NIOSH IDLH: NIOSH - National Institute for Occupational Safety and Health

Engineering Measures

Ensure adequate ventilation, especially in confined areas, Ensure that evewash stations and safety showers are close to the workstation location. Use explosion-proof electrical/ventilating/lighting equipment.

Personal Protective Equipment

Eye/face Protection

Wear appropriate protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard

EN166.

Skin and body protection

Wear appropriate protective gloves and clothing to prevent skin exposure.

Respiratory Protection

Follow the OSHA respirator regulations found in 29 CFR 1910.134 or European Standard EN 149. Use a NIOSH/MSHA or European Standard EN 149 approved respirator if exposure limits are exceeded or if irritation or other symptoms are experienced.

Hygiene Measures

Handle in accordance with good industrial hygiene and safety practice.

Physical and chemical properties

Liquid Colorless

Physical State Appearance Odor **Odor Threshold** Melting Point/Range

sweet 19.8 ppm -95 °C / -139 °F 56 °C / 132.8 °F -20 °C / -4 °F CC (closed cup) 5.6 (Butyl Acetate = 1.0)

Method -**Evaporation Rate** Flammability (solid,gas)

Boiling Point/Range

Flash Point

Not applicable

Revision Date 24-Dec-2021

Flammability or explosive limits

Upper Lower

Vapor Pressure

Vapor Density Specific Gravity Solubility

Partition coefficient; n-octanol/water

Autoignition Temperature **Decomposition Temperature**

Viscosity

Molecular Formula Molecular Weight Refractive index

12.8 vol % 2.5 vol %

247 mbar @ 20 °C

2.0 0.790

Soluble in water No data available 465 °C / 869 °F

> 4°C

0.32 mPa.s @ 20 °C

C3 H6 O 58.08

1.358 - 1.359

10. Stability and reactivity

Reactive Hazard

None known, based on information available

Stability

Stable under normal conditions.

Conditions to Avoid

Heat, flames and sparks. Incompatible products. Keep away from open flames, hot

surfaces and sources of ignition.

Incompatible Materials

Strong oxidizing agents, Strong reducing agents, Strong bases, Peroxides, Halogenated

compounds, Alkali metals, Amines

Hazardous Decomposition Products Carbon monoxide (CO), Carbon dioxide (CO2), Formaldehyde, Methanol

Hazardous Polymerization

Hazardous polymerization does not occur.

Hazardous Reactions

None under normal processing.

11 Toxicological information

Acute Toxicity

Product Information

Component Information

| Component | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|-----------|------------------|------------------------|---------------------|
| Acetone | 5800 mg/kg (Rat) | > 15800 mg/kg (rabbit) | 76 mg/l, 4 h, (rat) |
| | | > 7400 mg/kg (rat) | |

Toxicologically Synergistic

Carbon tetrachloride; Chloroform; Trichloroethylene; Bromodichloromethane; Dibromochloromethane; N-nitrosodimethylamine; 1,1,2-Trichloroethane; Styrene; Acetonitrile, 2,5-Hexanedione; Ethanol; 1,2-Dichlorobenzene

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Irritation

Products

Irritating to eyes

Sensitization

No information available

Carcinogenicity

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Component | Component CAS No | | NTP | ACGIH OSHA | | Mexico | |
|-----------|------------------|------------|------------|------------|------------|------------|--|
| Acetone | 67-64-1 | Not listed | |

Mutagenic Effects

No information available

Reproductive Effects

No information available.

Developmental Effects

No information available.

12/9/2022 5:15 AM FROM: USPGH-RFAXDT-P6

TO: +19736274958

Acetone

Revision Date 24-Dec-2021

Teratogenicity

No information available.

STOT - single exposure STOT - repeated exposure Central nervous system (CNS) Kidney Liver spleen Blood

Aspiration hazard

No information available

delayed

Symptoms / effects, both acute and Symptoms of overexposure may be headache, dizziness, tiredness, nausea and vomiting:

May cause pulmonary edema

Endocrine Disruptor Information

No information available

Other Adverse Effects

The toxicological properties have not been fully investigated.

12. Ecological information

Ecotoxicity

| Component | Freshwater Algae | Freshwater Fish | Microtox | Water Flea |
|-----------|----------------------------|---------------------------|--------------------------|-----------------------|
| Acetone | NOEC = 430 mg/l (algae; 96 | Oncorhynchus mykiss: LC50 | EC50 = 14500 mg/L/15 min | EC50 = 8800 mg/L/48h |
| ! | h) | = 5540 mg/l 96h | _ | EC50 = 12700 mg/L/48h |
| | · | Alburnus alburnus; LC50 = | | EC50 = 12600 mg/L/48h |
| | | 11000 mg/l 96h | | _ |
| | | Leuciscus idus: LC50 = | | |
| | | 11300 mg/L/48h | | |
| | | Salmo gairdneri: LC50 = | | |
| | 1 | 6100 mg/L/24h | | |

Persistence and Degradability

Persistence is unlikely based on information available.

Bioaccumulation/Accumulation

No information available.

Mobility

Will likely be mobile in the environment due to its volatility.

| Component | log Pow |
|-----------|---------|
| Acetone | -0.24 |

13. Disposal considerations

Waste Disposal Methods

Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. Chemical waste generators must also consult local, regional, and national hazardous waste regulations to ensure complete and accurate classification.

| Component | RCRA - U Series Wastes | | |
|-------------------|------------------------|---|--|
| Acetone - 67-64-1 | U002 | = | |

14. Transport information

DOT

UN-No UN1090 **ACETONE Proper Shipping Name**

Hazard Class Packing Group

TDG

UN1090 UN-No ACETONE Proper Shipping Name

Hazard Class 3 **Packing Group** []

IATA

UN-No UN1090 Proper Shipping Name **ACETONE**

Hazard Class

Page 6/8

Revision Date 24-Dec-2021

Packing Group

||

IMDG/IMO

UN-No

UN1090

Proper Shipping Name

ACETONE

Hazard Class Packing Group 3 Ш

Regulatory information

United States of America Inventory

| Component | CAS No | TSCA | TSCA Inventory notification - Active-Inactive | TSCA - EPA Regulatory Flags | |
|-----------|---------|------|--|--------------------------------|--|
| Acetone | 67-64-1 | Χ | ACTIVE | _ | |

Legend:

TSCA US EPA (TSCA) - Toxic Substances Control Act, (40 CFR Part 710)

X - Listed

TSCA 12(b) - Notices of Export

Not applicable

International Inventories

Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Philippines (PICCS), Japan (ENCS), Japan (ISHL), Australia (AICS), China (IECSC), Korea (KECL).

| Component | CAS No | DSL | NDSL | EINECS | PICCS | ENCS | ISHL | AICS | IECSC | KECL |
|-----------|---------|-----|------|-----------|-------|------|------|------|-------|----------|
| Acetone | 67-64-1 | Х | - | 200-662-2 | Х | Х | Х | X | Χ | KE-29367 |

KECL - NIER number or KE number (http://ncls.nler.go.kr/en/main.do)

U.S. Federal Regulations

SARA 313

Not applicable

SARA 311/312 Hazard Categories

See section 2 for more information

CWA (Clean Water Act)

Not applicable

Clean Air Act

Not applicable

OSHA - Occupational Safety and

Health Administration

Not applicable

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302)

| Component | Hazardous Substances RQs | CERCLA EHS RQs |
|-----------|--------------------------|----------------|
| Acetone | 5000 lb | _ |

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

| Component | Massachusetts | New Jersey | Pennsylvania | Illinois | Rhode Island |
|-----------|---------------|------------|--------------|----------|--------------|
| Acetone | X | X | X | ~ | X |

U.S. Department of Transportation

P. 10

Acetone

Reportable Quantity (RQ):

DOT Marine Pollutant

DOT Severe Marine Pollutant

Ν

U.S. Department of Homeland

This product does not contain any DHS chemicals.

Revision Date 24-Dec-2021

Security

Other International Regulations

Mexico - Grade

Serious risk, Grade 3

Authorisation/Restrictions according to EU REACH

| Component | , , | REACH (1907/2006) - Annex XVII - Restrictions on Certain Dangerous Substances | REACH Regulation (EC 1907/2006) article 59 - Candidate List of Substances of Very High Concern (SVHC) |
|-----------|-----|---|--|
| Acetone | - | Use restricted, See Item 75, (see link for restriction details) | - |

https://echa.europa.eu/substances-restricted-under-reach

Safety, health and environmental regulations/legislation specific for the substance or mixture

| Component | CAS No | OECD HPV | Persistent Organic Pollutant | Ozone Depletion Potential | Restriction of Hazardous Substances (RoHS) |
|-----------|---------|---|--|-------------------------------|--|
| Acetone | 67-64-1 | Listed | Not applicable | Not applicable | Not applicable |
| | | | | | |
| Component | CAS No | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Major Accident Notification | Seveso III Directive (2012/18/EC) - Qualifying Quantities for Safety Report Requirements | Rotterdam Convention (PIC) | Basel Convention (Hazardous Waste) |
| Acetone | 67-64-1 | Not applicable | Not applicable | Not applicable | Annex I - Y42 |

16. Other information

Prepared By

Regulatory Affairs

Thermo Fisher Scientific

Email: EMSDS.RA@thermofisher.com

Creation Date Revision Date Print Date

28-Apr-2009 24-Dec-2021 24-Dec-2021

Revision Summary

This document has been updated to comply with the US OSHA HazCom 2012 Standard replacing the current legislation under 29 CFR 1910.1200 to align with the Globally

Harmonized System of Classification and Labeling of Chemicals (GHS).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text

End of SDS