Product Name: Cream Hardener (Blue) Product identifier: 100354 Revision Date: 12-14-2015 Replaces:



1. Identification

Product Name: Product identifier: Relevant identified uses of the substance or mixture and uses advised against:	Cream Hardener (Blue) 100354 Polymerization initiator
Other means of identification Chemical Manufacturer / Importer / Distributor:	ITW Evercoat a division of Illinois Tool Works Inc. 6600 Cornell Road Cincinnati, OH 45242
Emergency telephone number:	513-489-7600 CHEMTREC: 1-800-424-9300 CANUTEC: 1-613-996-6666

2. Hazard(s) identification

Classification of the chemical in accordance with paragraph (d) of §1910.1200;



GHS Classification:	Skin Sensitisation Category 1 Serious Eye Damage/Eye Irritation Category 2A Flammable Liquid Category 4
GHS Signal Word:	Warning
GHS Hazard Statements:	Cumbustible Liquid
	May cause an allergic skin reaction.
	Causes serious eye irritation.
GHS Precautionary Statements:	
Safety Precautions:	Keep away from heat/sparks/open flames/hot surfaces. – No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace.
First Aid Measures:	Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of soap and water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses,

Product Name: Cream Hardener (Blue) Product identifier: 100354 Revision Date: 12-14-2015 Replaces:

	if present and easy to do. Continue rinsing.
	Specific treatment (see on this label).
	If skin irritation or rash occurs: Get medical advice/attention.
	If eye irritation persists: Get medical advice/attention.
	Wash contaminated clothing before reuse.
	In case of fire: Use for extinction.
Storage:	Store in a well-ventilated place. Keep cool.
Disposal:	Dispose of contents/container in accordance with
	local/regional/national/international regulation for hazardous wastes.
Hazards not otherwise classified:	No data available

3. Composition/information on ingredients	
---	--

Chemical Component:	CAS number and other unique identifiers	% (or range) of ingredient
Benzoyl Peroxide	94-36-0	30 - 60

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

4. First-aid measures			
Eye Contact:	Use an eye wash to remove a chemical from your eye regardless of the level of hazard. Flush the affected eye for at least twenty minutes. Tilt the head to prevent chemical from transferring to the uncontaminated eye. Seek medical advice after flushing. Flush eyes gently with water for at least 15 minutes, lifting upper & lower eye lids. Seek immediate medical attention.		
Skin Contact:	Wash with soap and water. Get medical attention if irritation develops or persists. Remove contaminated clothing and continue flushing with water. Wash affected area thoroughly with soap and water. Seek immediate medical attention. Wash clothing before reuse.		
Inhalation:	Remove to fresh air. If breathing is difficult, have a trained individual administer oxygen. If symptoms develop, immediately move individual away from exposure and into fresh air. Get medical attention immediately. Keep the victim warm and quiet. If the victim has stopped breathing open airway, loosen collar and belt, and administer artificial respiration. If breathing is difficult, oxygen may be beneficial if administered by trained personnel, preferably on a doctor's advice.		
Ingestion:	Minimal risk of harm if swallowed. Do not induce vomiting. Seek medical attention immediately. Provide medical care provider with Page 2 of 9		

Product Name: Cream Hardener (Blue) Product identifier: 100354 Revision Date: 12-14-2015 Replaces:

-	•	
	Most important symptoms/effects (Delayed:	 this MSDS. Call a physician or poison control center immediately. Do not induce vomiting unless directed to do so by medical personnel. Drink plenty of water. If individual is drowsy or unconscious, do not give anything by mouth; place individual on left side with head down. If possible, do not leave individual unattended. Benzoyl Peroxide: Repeated or prolonged contact may cause skin sensitization. Overexposure to this material has been suggested as a cause of the following effects in laboratory animals: mild, reversible liver effects, mild, reversible kidney effects, cardiac sensitization, kidney damage. Benzoyl Peroxide has caused tumorigenic effects in laboratory animals.
	Immediate medical attention and special treatment needed,:	No additional first aid information available

5. Fire-fighting measures

Suitable extinguishing media:	Use alcohol resistant foam, carbon dioxide, dry chemical, or water spray when fighting fires. Water or foam may cause frothing if liquid is burning but it still may be a useful extinguishing agent if carefully applied to the fire. Do not direct a water stream directly into the hot burning liquid. Regular foam Carbon dioxide Dry chemical
Unsuitable extinguishing media:	No data available
Fire and/or Explosion Hazards:	Material may be ignited if preheated to temperatures above the flash point in the presence of a source of ignition. Material is easily ignited if allowed to dry.
Hazardous Combustion	Toxic and corrosive gases,, Carbon dioxide, Carbon monoxide,
Products:	Benzoic acid, Hydrocarbons
Special protective equipment and precautions for fire- fighters:	Do not enter fire area without proper protection including self- contained breathing apparatus and full protective equipment. Fight fire from a safe distance and a protected location due to the potential of hazardous vapors and decomposition products. Fight fire like a fuel oil fire. Water may be used to cool closed containers to prevent pressure build-up and possible auto ignition or explosion when exposed to extreme heat.
	Wear a self contained breathing apparatus (NIOSH approved) with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protective equipment.

Product Name: Cream Hardener (Blue) Product identifier: 100354 Revision Date: 12-14-2015 Replaces:

6. Accidental release measures	
Personal precautions, protective equipment and emergency procedures: Methods and material for containment and cleaning up:	No health affects expected from the clean-up of this material if contact can be avoided. Follow personal protective equipment recommendations found in Section VIII of this MSDS No special spill clean-up considerations. Collect and discard in regular trash. Shut off ignition sources; including electrical equipment and flames. Do not allow smoking in the area. Activate available exhaust ventilation equipment in the immediate spill area. All personnel in the area should be protected as in Section 8. Avoid breathing vapors. Use an inert absorbent such as sand or vermiculite. Place in properly labeled closed container.

7. Handling and storage

Precautions for safe handling:	Mildly irritating material. Avoid unnecessary exposure. All hazard precautions given in the data sheet must be observed. Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid breathing vapors or mists. Do not take internally. Keep container closed when not in use. Keep out of the reach of children.
Conditions for safe storage:	Store in a cool dry place. Isolate from incompatible materials. Store in a cool dry place Do not store the product above 100°F/38°C. Do not flame, cut, braze, weld or melt empty containers. Keep product away from heat, open flame, and other sources of ignition. Keep away from heat, sparks, and flame Store in a tightly closed container Avoid contact with incompatible materials such as strong acids, alkalis and oxidizers. For maximum product quality, avoid prolonged storage at temperatures above 75 °F (25 °C). To prevent possible decomposition, temperatures in the storage facility must not exceed 217°F (103°C). Avoid contact with incompatible materials.
Materials to Avoid/Chemical Incompatibility::	Organic materials Inorganic acids Strong oxidizing agents Accelerators Reducing agents Alcohols Amines Strong alkalies

8. Exposure controls/personal protection

Limits:

Chemical Component	OSHA PEL	ACGIH TLV-TWA	ACGIH STEL
Benzoyl Peroxide	5 mg/m3	5 mg/m3	No data available
Appropriate engineering controls.:	General room ventilation m	the constituents of this produc ight be required to maintain or itions of use. General or local	

Product Name: Cream Hardener (Blue) Product identifier: 100354 Revision Date: 12-14-2015 Replaces:

	ventilation or isolation may prove adequate to keep airborne exposures below exposure limits. Explosion proof exhaust ventilation should be used.
Eye Protection:	Wear safety glasses when handling this product. Splash proof chemical goggles are recommended to protect against the splash of product.
Skin Protection:	Not normally considered a skin hazard. Where use can result in skin contact, practice good personal hygiene and wear a barrier cream and/or impervious surgical style gloves. Wash hands and other exposed areas with mild soap and water before eating, drinking, and when leaving work. Protective gloves and proper clothing should be worn to prevent skin contact. Gloves should be made of neoprene or natural rubber. To prevent repeated or prolonged skin contact, wear impervious clothing and boots A barrier cream may be used for additional skin protection.
Respiratory Protection:	No respiratory protection required under normal conditions of use. Provide general room exhaust ventilation if symptoms of overexposure occur as explained Section III. A respirator is not normally required. Use a NIOSH approved respirator designed to remove particulate matter and organic solvent vapors.
Other Protective Equipment:	Splash proof chemical goggles are recommended to protect against the splash of product. Protective gloves and proper clothing should be worn to prevent skin contact. Gloves should be made of neoprene or natural rubber. To prevent repeated or prolonged skin contact, wear impervious clothing and boots A barrier cream may be used for additional skin protection.
General Hygiene Conditions:	All hazard precautions given in the data sheet must be observed. Do not get in eyes, on skin and clothing Wash hands before eating Use with adequate ventilation Avoid breathing vapors or mists. Do not take internally. Keep container closed when not in use. Keep out of the reach of children.

9. Physical and chemical properties

Appearance (physical state): Color:	Paste Blue
Odor:	Ester-like
Odor threshold:	No data available
pH:	Neutral
Melting Point/Freezing Point (°C):	No data available
Initial Boiling Point and Boiling Range (°C):	100
Flash Point (°C):	84
Evaporation Rate:	No data available
Flammability (solid, gas):	No data available

Product Name: Cream Hardener (Blue) Product identifier: 100354 Revision Date: 12-14-2015 Replaces:

Upper Flammable/Explosive Limit:	No data available
Lower Flammable/Explosive Limit:	No data available
Vapor Pressure:	< 1 MMHG@20C/68F 17.5 MMHG@20C/68F
Vapor Density:	>1 Heavier than air. Vapors that evolve from this
	product will tend to settle and accumulate near the
	floor.
Relative Density:	1.2
Solubility(ies):	Insoluble Low; 10-49%
Partition coefficient: n-octanol/water:	No data available
Auto-ignition Temperature (°C):	2 ° 08
Decomposition Temperature::	No data available
Viscosity:	No data available
VHAP Content by weight – as packaged	0

10. Stability and reactivity

Reactivity:	No data available
Chemical stability:	Stable under normal conditions.
Conditions to avoid:	None known. Contamination.
Incompatible materials:	Organic materials Inorganic acids Strong oxidizing agents Accelerators Reducing agents Alcohols Amines Strong alkalies
Hazardous decomposition products:	Toxic and corrosive gases, Carbon dioxide Carbon monoxide Benzoic acid Hydrocarbons

11. Toxicological information

Likely routes of exposure	Ingestion, Skin contact, Eye contact, Absorption
(inhalation, ingestion, skin and	
eye contact):	

Immediate (Acute) Health Effects by Route of Exposure:

Inhalation Irritation:	Can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache. Excessive inhalation of vapors may cause nasal and respiratory irritation, acute nervous system depression, fatigue, weakness, nausea, headache and dizziness.
	Aspiration of material into the lungs can cause chemical pneumonitis which can be fatal.
	If vomiting occurs spontaneously, keep head below hips to prevent aspiration of liquid into lungs.
	Airborne overexposure well above the PEL may result additionally in eye irritation, headache, chemical bronchitis, asthma-like findings or pulmonary edema.
Skin Contact: Skin Absorption:	Can cause minor skin irritation, defatting, and dermatitis. Causes skin irritation. Contact may cause irritation and possible dermatitis or sensitization. Symptoms may include minor itching, burning and/or redness, Dermatitis, defatting may be readily absorbed through the skin. Substance can be

Product Name: Cream Hardener (Blue) Product identifier: 100354 Revision Date: 12-14-2015 Replaces:

	absorbed through the skin in harmful amounts. Symptoms may include redness, burning, drying and cracking of skin, and skin burns
Eye Contact:	Can cause minor irritation, tearing and reddening. Contact with paste may result in irritation, redness, tearing, blurred vision, and/or swelling.
Ingestion Irritation:	Mildly irritating to mouth, throat, and stomach. Can cause abdominal discomfort. Causes gastrointestinal tract irritation, nausea, vomiting, diarrhea and possible ulcerations to mucous membranes. Aspiration of material into the lungs can cause chemical pneumonitis which can be fatal.
Ingestion Toxicity:	
Long-Term (Chronic) Health Effe	ects:
Carcinogenicity:	None of the substances have been shown to cause cancer in long term animal studies. Not a carcinogen according to NTP, IARC, or OSHA. Not listed by ACGIH, IARC, NIOSH, NTP OR OSHA.
Reproductive and	No data available to indicate product or any components present at greater than
Developmental Toxicity:	0.1% may cause birth defects.
Mutagenicity:	No data available to indicate product or any components present at greater than 0.1% is mutagenic or genotoxic.
Inhalation:	Upon prolonged and/or repeated exposure, can cause minor respiratory irritation, dizziness, weakness, fatigue, nausea, and headache.
Skin Contact:	Upon prolonged or repeated contact, can cause minor skin irritation, defatting, and dermatitis.

Component Toxicology Data

Chemical Component	Oral LD50	Dermal LD50	Inhalation LC50
No data available			

Has the chemical been classified as a Carcinogen by NTP, IARC or OSHA.

Chemical Name	OSHA Carcinogen	IARC Carcinogen	NTP Carcinogen
No data available			

12. Ecological information

Ecotoxicity (aquatic and	This material is not expected to be harmful to the ecology. The
terrestrial, where available):	ecological toxicity of this product is not known
Persistence and degradability:	No data available
Mobility in soil:	No data available
Other adverse effects (such as	No data available
hazardous to the ozone layer):	

Données sur l'écotoxicité					
Chemical Component	Aquatic EC50 Crustacea	Aquatic ERC50 Algae	Aquatic LC50 Fish		
No data available					
13. Disposal considerations					
<u> </u>					
Description of waste residues	: Spent or discarded	material may be a hazarc	lous waste.		
Safe Handling of Waste:	•	This material as supplied, if discarded, would be regulated as a			
		hazardous waste under RCRA (40 CFR 261).			
Waste treatment methods	1 5	Dispose of by incineration following Federal, State, Local, or			
(including packaging): Waste Disposal Code(s):	D001	Provincial regulations.			
waste Disposal Code(s):	DUUT				
14. Transport information					
UN number:	UN3108				
UN proper shipping name:	ORGANIC PEROXID	E TYPE E, (DIBENZOYL PEI	ROXIDE)		
Transport hazard class(es):	5.2				

The shipper is responsible for following all applicable regulations. The transportation classification provided is based on ITW Evercoat original packaging, which is suitable for domestic ground transport only.

15. Regulatory information	
Statut TSCA:	A component or components of this product are listed on the TSCA Inventory of Existing Chemical Substances.

Regulated Components:

Chemical Component	CAS number and other unique identifiers	CERCLA	SARA EHS	SARA 313	California Prop 65
Benzoyl Peroxide	94-36-0	Ν	Ν	Y	Ν

16. Other information, including date of preparation or last revision.

Revision Date:	12-14-2015
Revision Number:	10

Product Name: Cream Hardener (Blue) Product identifier: 100354 Revision Date: 12-14-2015 Replaces:

Disclaimer: NOTICE: The information accumulated herein is believed to be correct as of the date issued from sources, which are believed to be accurate and reliable. Since it is not possible to anticipate all circumstances of use, recipients are advised to confirm, in advance of need, that the information is current, applicable and suitable to their circumstances