

3M AUTOMOTIVE TRADES DIV -- 08080 3M BRAND GENERAL TRIM ADHESIVE

=====
MSDS Safety Information
=====

FSC: 8040
MSDS Date: 06/18/1994
MSDS Num: BWHFF
LIIN: 00F000321
Product ID: 08080 3M BRAND GENERAL TRIM ADHESIVE
MFN: 03
Responsible Party
Cage: 52157
Name: 3M AUTOMOTIVE TRADES DIV
Address: 3M CENTER
City: ST PAUL MN 55144-1000
Info Phone Number: 612-733-1110
Emergency Phone Number: 612-733-1110
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 52157
Name: MINNESOTA MINING AND MFG CO AUTOMOTIVE TRADES DIV
Address: 3M CTR
City: ST PAUL MN 55144-1000

=====
Contractor Summary
=====

Cage: 52157
Name: MINNESOTA MINING AND MFG CO AUTOMOTIVE TRADES DIV
Address: 3M CTR
City: ST PAUL MN 55144-1000
Phone: 612-737-4114

=====
Ingredients
=====

Cas: 115-10-6
RTECS #: PM4780000
Name: DIMETHYL ETHER, METHYL ETHER
% Wt: 50-60
ACGIH TLV: NONE

Cas: 109-66-0
RTECS #: RZ9450000
Name: PENTANE, N-PENTANE
% Wt: 10-20
Other REC Limits: 600 PPM
OSHA PEL: 750 PPM
ACGIH TLV: 1800 MG/CUM

Cas: 110-82-7
RTECS #: GU6300000
Name: CYCLOHEXANE
% Wt: 10-20
Other REC Limits: 300 PPM
OSHA PEL: 300 PPM

ACGIH TLV: 300 PPM
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Name: NON-VOLATILE COMPONENTS
% Wt: 10-20

Cas: 64742-48-9
Name: ISOPARAFFINIC HYDROCARBONS (NAPHTHA PETROLEUM), HYDROTREATED HEAVY, NON
AROMATIC HEAVY NAPHTHA) ISOPAR G
% Wt: 1-5

RTECS #: 9999999VO
Name: VOLATILE ORGANIC COMPOUNDS: LESS WATER/EXEMPT SOLVENT 682 G/L
=====

Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES
Skin: NO
Ingestion: NO
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO

Effects of Exposure: EYES: MODERATE IRRITATION. SKIN: MILD IRRITATION.
INHALATION: UPPER RESPIRATORY IRRITATION. INGESTION: GI TISSUE IRRITATION.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: IRRITATION, REDNESS, SWELLING, PAIN,
TEARING, HAZY VISION, ITCHING, HEADACHE, DIZZINESS, DROWSINESS,
INCOORDINATION, SLOWED REACTION TIME, SLURRED SPEECH, GIDDINESS,
UNCONSCIOUSNESS, SORENESS OF NOSE & THROAT, COUGHING, SNEEZING,
VOMITING, ABDOMINAL TENDERNESS, NAUSEA, BLOOD IN VOMITUS/FECES.

First Aid: EYES/SKIN: IMMEDIATELY FLUSH W/LARGE AMOUNTS OF WATER. INHALATION:
REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NOT BREATHING. IF
BREATHING IS DIFFICULT, GET IMMEDIATE MEDICAL ATTENTION. INGEST ION: DON'T
INDUCE VOMITING. DRINK TWO GLASSES OF WATER. OBTAIN MEDICAL ATTENTION IN
ALL
CASES.

Handling and Disposal
=====

Spill Release Procedures: VENTILATE AREA. EXTINGUISH ALL IGNITION SOURCES.
COVER W/ABSORBENT MATERIAL & COLLECT USING NON-SPARKING TOOLS. PLACE IN A
U.S. DOT APPROVED CONTAINER.

Waste Disposal Methods: INCINERATE IN A PERMITTED HAZARDOUS WASTE INCINERATOR
IN PRESENCE OF COMBUSTIBLE MATERIAL. FACILITY MUST BE CAPABLE OF HANDLING
AEROSOL CANS. DISPOSE OF EMPTY CANS IN SANITARY LANDFILL. (SEE SUPP)

Handling And Storage Precautions: STORE AT TEMP <120F. USE IN WELL
VENTILATED AREA.

Other Precautions: KEEP OUT OF REACH OF CHILDREN. EXTREMELY FLAMMABLE LIQUID
& VAPOR. DON'T PIERCE/BURN CONTAINER, EVEN AFTER USE. AVOID STATIS
DISCHARGE. AVOID BREATHING/EYE CONTACT W/VAPORS/MISTS/SPRAY. AVOID PROLONGE
D/REPEATED SKIN CONTACT.

Fire and Explosion Hazard Information
=====

Flash Point Text: -50F
Lower Limits: 1

Upper Limits: 7

Extinguishing Media: CO2, DRY CHEMICAL, FOAM.

Fire Fighting Procedures: WEAR SELF CONTAINED POSITIVE PRESSURE/PRESSURE DEMAND

BREATHING APPARATUS & FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard: CLOSED CONTAINERS EXPOSED TO HEAT MAY BUILD PRESSURE & EXPLODE. VAPORS MAY TRAVEL ALONG GROUND/FLOOR TO DISTANT IGNITION SOURCE & FLASH BACK.

=====
Control Measures
=====

Ventilation: SUFFICIENT TO MAINTAIN EMISSIONS <RECOMMENDED EXPOSURE LIMITS.

Protective Gloves: NITRIL RUBBER/POLYVINYL ALCOHOL

Eye Protection: SAFETY GLASSES W/SIDE SHIELDS

Other Protective Equipment: VENTED GOGGLES, FLUOROELASTOMER/VITON GLOVES

Supplemental Safety and Health: PERCENT VOLATILE: 89.5/WT. WASTE DISPOSAL

CONT'D: DISPOSE OF COMPLETELY ABSORBED WASTE PRODUCT IN A FACILITY PERMITTED

TO ACCEPT CHEMICAL WASTES IAW/FEDERAL, STATE & LOCAL REGULATIONS. EPA HAZARDOUS WASTE # D001 (IGNITABLE)

=====
Physical/Chemical Properties
=====

Solubility in Water: INSOLUBLE

Appearance and Odor: CLEAR TRANSLUSCENT LIQUID IN AEROSOL CONTAINER W/SOLVENT ODOR.

Percent Volatiles by Volume: (SUPP)

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: HEAT, FIRE, SPARKS, OPEN FLAME & OTHER IGNITION SOURCES.

Hazardous Decomposition Products: CO, CO2, TOXIC VAPORS/GASES/PARTICULATES.

Hazardous Polymerization Indicator: NO

=====
Toxicological Information
=====

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

=====
Regulatory Information
=====

=====
Other Information
=====

=====
HAZCOM Label
=====

Product ID: 08080 3M BRAND GENERAL TRIM ADHESIVE

Cage: 52157

Company Name: MINNESOTA MINING AND MFG CO AUTOMOTIVE TRADES DIV

Street: 3M CTR

City: ST PAUL MN
Zipcode: 55144-1000
Health Emergency Phone: 612-733-1110
Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code: C
Label Date: 12/16/1998
Origination Code: G

Hazard And Precautions: EYES: MODERATE IRRITATION. SKIN: MILD IRRITATION.
INHALATION: UPPER RESPIRATORY IRRITATION. INGESTION: GI TISSUE IRRITATION.

IRRITATION, REDNESS, SWELLING, PAIN, TEARING, HAZY VISION, ITCHING,
HEADACHE,
DIZZINESS, DROWSINESS, INCOORDINATION, SLOWED REACTION TIME, SLURRED SPEECH,
GIDDINESS, UNCONSCIOUSNESS, SORENESS OF N OSE & THROAT, COUGHING,
SNEEZING, VOMITING, ABDOMINAL TENDERNESS, NAUSEA, BLOOD IN VOMITUS/FECES.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever expressly or implied
warrants, states, or intends said information to have any application, use
or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the
United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of
the
United States of America should seek competent professional advice to
verify
and assume responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.